



Public EV Wallbox with cable & socket

Safe and Fast


OCPP(1.6 above)communication protocol with CMS
Wireless communication Wi-Fi/Ethernet/4G optional

Simple and intelligent

MID certified energy meter with accurate measurement
Type A+DC 6mA leakage protection

Flexible Option

Universal Type 2 socket, optional with Type 1/Type 2 charging cable
Wall-mount or floor-stand installation



Model	ZECO7K-S1	ZECO11K-S2	ZECO22K-S3
Technical features			
Charging capacity	Up to 7KW	Up to 11 KW	Up to 22KW
Input/Output power	230VAC±20%-50/60Hz-32A-1phase	400VAC±20%-50/60Hz-16A-3phase	400VAC±20%-50/60Hz-32A-3phase
RCD	30Ma RCD Type A and DC 6Ma RCD function or Type B(optional)		
Standby power	<3W		
Measuring accuracy	1%		
Energy Meter	MID certified		
OCPP	OCPP1.6 Json(OCPP2.0 optional)		
Communication	WIFI / Ethernet / 4G(Optional)		
User interface	LED / LCD(3.5") / RFID(mifare iso& IEC 14443A)		
Certificate/Compliance	CE / EN/IEC 61851-1:2017, EN/IEC 61851-21-2:2018		
Charging Interface	Type 2 socket / 5M Cable		
Special Protection	Over current protection, Residual current protection, Ground protection, Surge protection, Over/Under voltage protection, Over/Under frequency protection, Over/Under temperature protection		
Physical properties			
Warranty	2 years		
Protection	IP54, IK10,		
Enclosure	Plastic PC940/ Galvanized steel		
Front Panel	Temper glass		
Installation	Wall-mount/Pole-mount		
Cooling	Natural cooling		
Operating temperature	-30°C to +55°C		
Humidity	Max.95%(non-regulating)		
Product Dimensions	320*230*100(L*W*H)mm		
Package Dimension	465*325*270(L*W*H)mm		
Net Weight	5.1Kg	5.5Kg	5.5Kg
Gross Weight	5.8Kg	6.2Kg	6.5Kg