

eps

All-In-One Water Dispenser

Cooling, Filtering & Refreshing



Rethinking Water



The EPS water cooler, dispenser and advanced 4-stage filtration system come together in one sleek unit.

Available in countertop or floor-standing options, easily plumbs into existing water supply, delivering perfectly fresh-tasting water. Say goodbye to plastic bottles—it's your tap water, just better tasting.

Enjoy it chilled or ambient, your choice!



Homes



Gyms



Restaurants



Spa & Wellness Centres



Offices

Purified Drinking Water For:

Offices & Workspaces:

- › In break rooms or canteens

Retail & Customer Areas:

- › In waiting areas and lobbies

Factories & Warehouses:

- › In designated break areas for employees

Schools & Universities:

- › In libraries & cafeterias

Homes:

- › In the kitchen for easy access to purified chilled drinking water or in the living room/near dining areas



Does it require regular maintenance?

Yes, regular maintenance is essential to ensure optimal performance and water quality. This includes periodic cleaning of the storage tank and timely filter replacements. The 1st and 2nd stage cartridges typically need replacement every 6 months, while the 3rd and 4th stage cartridges last up to 12 months on average.

How quickly does the cooler dispense chilled water?

The unit dispenses chilled water almost instantly once set up. The water temperature ranges from 4°C to 12°C, and the stainless steel tank has a capacity of approximately 3.2L.

Will the water cooler increase my electricity bill?

The energy consumption is low and EPS coolers are designed with an operationally cost-effective LG compressor.





Floorstanding Water Dispenser & Cooler

**FLOOR
STANDING**

The EPS dispenser features 4-stage ultrafiltration system, ensuring the purest and cleanest water for your satisfaction. It provides both chilled and ambient (room temperature) water options. Ambient and chilled LED indicator lights enhance usability, while a drip tray with a drainage pipe prevents stagnant water buildup.

Installation is simple, connecting effortlessly to your mains water supply using a standard 1/4-inch connection pipe. The sleek and modern design includes a curved shape with a high-gloss finish, adding a touch of elegance to any setting.

Technical Specifications

- A cooling system with R134a gas
- LG sealed compressor with an automatic overload protector. Energy efficient and durable
- Equipped with SUS304 stainless steel storage tank

Replacement Parts

- **Stock Code: 1235534**
Replacement Kit (11")



Model:	Floorstanding OHC-500U
Stock Code:	1200746
Filtration Stages:	4 (PP-GAC-UF-Post-Carb)
Rated Voltage:	220 - 240V
Tank Capacity:	3.2L (Chilled: 1.7L / Ambient 1.5L)
Inlet Pressure:	1-4 Bar
Feed Water:	Municipal tap water or pre-treated well water
Net Weight:	22kg
Dimensions (mm) (H)x(W)x(D):	1120(H) x 260(W) x 462(D)





Countertop Water Dispenser & Cooler

COUNTER TOP

- 4 stage ultrafiltration system
- Ambient and chilled water options
- 52 cm height to fit under most cabinets
- 3.2L **stainless steel** storage tank ensuring a constant and ample supply
- LG compressor for efficient, reliable operation with minimal noise
- Removable drip tray to eliminate stagnant water
- LED water indicators

Replacement Parts

- **Stock Code: 1235533**
Replacement Kit (6")



Model:	Countertop Ambient/Chilled
Stock Code:	1200751
Filtration Stages:	4 (PP-GAC-UF-Post-Carb)
Rated Voltage:	220 - 240V
Tank Capacity:	3.2L (Chilled: 1.7L / Ambient 1.5L)
Inlet Pressure:	1-4 Bar
Feed Water:	Municipal tap water or pre-treated well water
Net Weight:	17kg
Dimensions (mm) (H)x(W)x(D):	521(H) x 260(W) x 462(D)

 epswater.ie

 watercoolersnearme.com  info@epswater.ie

eps

Rethinking Water

